Manhole In	spection Summary	Manhole # S11CC2003MH
Printed On: 12/1	7/2008	Page 1 of 4
Inspection	☐ Is Incomplete Rating: 4) Poor	
Record Plat: 11	ICC2 Node: 003 Status: Found	Insp Date: 7/18/06 9:19 AM
Incomplete Cor	nments	Crew: JJ, TD
		Inspector: Jensen, J
		Firm: <b>RKK</b>
Location	Address: 2406 CREST RD	Cross Street: ROCKSPRING RD
Manhole	Type: Junction Location: Roadway	Ground Conditions: Dry
	☐ Prev. Rehab Weather: <b>Dry</b>	Subject To Ponding: None
Comments		
Cover	·	(in.) Length: (in.) Dist A/B Grade: <b>0</b> (in.)
Droportios	Type: <b>Sanitary</b> Condition: <b>Sou</b>	
Properties:		☐ Water Tight Insert
Frame	Offset: 0 (in.) Condition: Soun	d ☐ Cracked ✓ Leaks
Chimney / Fra	ame Adjustment	ck ☐ Parged Height: 6 (in.)
Condition:	☐ Sound ☐ Cracked ☐ Root Intrusion	□ Loose Brick
Infiltration:	None ✓ Joint ☐ Cracks ✓ Morta	ar Roots Wall
Corbel	Material: <b>Brick</b>	ged Type: Concentric/Eccentric
Condition:	☐ Sound ☐ Cracked ☐ Root Intrusion	☐ Loose Brick ✓ Deteriorated
Infiltration:	☐ None ☐ Joint ☐ Cracks ✓ Mo	rtar 🗌 Roots 🔽 Wall
Barrel	Material: Brick	ged
Shape:	Circular Diameter: 48 (in.) Len	gth: (in.)
Condition:	$ ightharpoonset$ Sound $\ \square$ Cracked $\ \square$ Root Intrusion	☐ Loose Brick ☐ Deteriorated
Infiltration:	☐ None ☐ Joint ☐ Cracks ✓ Mo	rtar
Bench	✓ Exists Material: <b>Brick</b>	☐ Parged ✓ Debris (not Condition related)
Condition:	✓ Sound ☐ Cracked ☐ Root Intrusion	☐ Deteriorated ☐ Leaks ☐ Debris
Channel	Material: Brick	ged Debris (not Condition related)
Channel E	xposure: <b>Fully Open</b> Junc Dist: <b>0</b>	nearest .5 ft. Azimuth:
Condition:	☐ Sound ☐ Cracked ☐ Root Intrusion	✓ Deteriorated
Steps	Count: 4 Missing: 0 Corroded	
Surcharge	<b>✓ Evidence Of Surcharge</b> Depth: 1	(ft.) Active Surcharge Present

# **Manhole Inspection Summary**

### Manhole # S11CC2003MH

Printed On: 12/17/2008 Page 2 of 4

#### **Location View**




#### Defect



Frame leaks. Adjustment deterioration and infiltration.

### Top View



Evidence of surcharge - Bench debris.

#### Defect



Corbel deterioration and infiltration.

## **Manhole Inspection Summary**

### Manhole # S11CC2003MH

Printed On: 12/17/2008 Page 3 of 4

### 8 in. Circular Gravity Sewer Pipe Out @ 12 O'Clock



Rod and Bar (Angled)

Pipe Material: Clay

Pipe Lined

Invert Depth: 8.72 (ft.) Flow Characteristics: Fast

Silt Depth: (in.) Deposits Extent:

Infiltration: Evidence Pipe Seal Cond: Cracked

Drop: **None** 

Connects To: Manhole

Possible Illicit Connection

### 8 in. Circular Gravity Sewer Pipe In @ 6 O'Clock



MEDICAL PROPERTY OF THE PROPER	A CLECK SECTION COMMERCENCY	
Channel deterioration.		
Rod and Bar (Angled)		Drop: None
Pipe Material: <b>Clay</b>	☐ Pipe Lined	· ·
Invert Depth: 8.62 (ft.) F	low Characteristics: <b>Fast</b>	
Deposits: 🔽 None 🗌 Mu	ıd □ Sludge □ Debris □ Grease	
Silt Depth: (in.)	Deposits Extent:	Connects To: Manhole
Infiltration: None	Pipe Seal Cond: <b>Unknown</b>	Possible Illicit Connection

# **Manhole Inspection Summary**

## Manhole # S11CC2003MH

Printed On: 12/17/2008 Page 4 of 4

6 in. Circular Gravity Sewer Pipe In @ 9 O'Clock



Infiltration: None	Pipe Seal Cond: <b>Unknown</b>	Possible Illicit Connection
Silt Depth: (in.)	Deposits Extent:	Connects To: House connection / Service line
Deposits: ✓ None □	Mud Sludge Debris Grease	
Invert Depth: 8.05 (ft.	) Flow Characteristics: <b>Slow</b>	
Pipe Material: Clay	☐ Pipe Lined	·
Rod and Bar (Angled)		Drop: None